**Proteins** 

# GSK3117391

Cat. No.: HY-19772 CAS No.: 1018673-42-1 Molecular Formula:  $C_{22}H_{33}N_3O_4$ Molecular Weight: 403.52

HDAC Target:

Pathway: Cell Cycle/DNA Damage; Epigenetics

Storage: Powder

4°C 2 years

3 years

In solvent -80°C 2 years

-20°C

-20°C 1 year

**Product** Data Sheet

## **SOLVENT & SOLUBILITY**

In Vitro

DMSO: 50 mg/mL (123.91 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.4782 mL	12.3910 mL	24.7819 mL
	5 mM	0.4956 mL	2.4782 mL	4.9564 mL
	10 mM	0.2478 mL	1.2391 mL	2.4782 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (6.20 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (6.20 mM); Clear solution
- 3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (6.20 mM); Clear solution

## **BIOLOGICAL ACTIVITY**

Description	GSK3117391 (ESM-HDAC391) is a histone deacetylase (HDAC) inhibitor, extracted from patent WO/2008040934 A1. Target:
	HDAC

HDAC IC<sub>50</sub> & Target

## **REFERENCES**

1]. Davidson Alan Hornsby, et a 11 20080410.	al. Preparation of amino acid-	based hydroxamic acids as histo	one deacetylase (HDAC) inhibitors. Fi	rom PCT Int. Appl. (2008), WO 2008040934
	Caution: Product has no	t been fully validated for me	edical applications. For research	use only.
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedChemExp	ress.com
	Address: 1 I	Deer Park Dr, Suite Q, Monmo	outh Junction, NJ 08852, USA	

Page 2 of 2 www.MedChemExpress.com