Product Data Sheet

N2-(((9H-Fluoren-9-yl)methoxy)carbonyl)-N5,N5-dimethyl-L-glutamine

Cat. No.: HY-23861 CAS No.: 1146118-59-3 Molecular Formula: $C_{22}H_{24}N_{2}O_{5}$ Molecular Weight: 396.44 Others Target: Pathway: Others

Storage: 4°C, sealed storage, away from moisture and light

* In solvent: -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture

and light)

SOLVENT & SOLUBILITY

In Vitro

DMSO: 100 mg/mL (252.24 mM; Need ultrasonic)

| Preparing Stock Solutions | Solvent Mass Concentration | 1 mg | 5 mg | 10 mg | |
|------------------------------|-------------------------------|-----------|------------|------------|--|
| | 1 mM | 2.5224 mL | 12.6122 mL | 25.2245 mL | |
| | 5 mM | 0.5045 mL | 2.5224 mL | 5.0449 mL | |
| | 10 mM | 0.2522 mL | 1.2612 mL | 2.5224 mL | |

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (6.31 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (6.31 mM); Clear solution
- 3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (6.31 mM); Clear solution

BIOLOGICAL ACTIVITY

| Description | N2-(((9H-Fluoren-9-yl)methoxy)carbonyl)-N5,N5-dimethyl-L-glutamine is a glutamine derivative ^[1] . |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In Vitro | Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |

| REFERENCES | | | | | |
|-----------------------------------|------------------------------|-----------------------------------|--------------------------------------------------------|------------------------|--|
| [1]. Luckose F, et al. Effects of | amino acid derivatives on pl | nysical, mental, and physiologica | l activities. Crit Rev Food Sci Nutr. | 2015;55(13):1793-1144. | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | nedical applications. For resear | | |
| | Tel: 609-228-6898 | Fax: 609-228-5909 | E-mail: tech@MedCheml nouth Junction, NJ 08852, USA | Express.com | |
| | Address. | i beer rank bi, suite Q, Moiiii | ioutii sunction, NS 00032, OSA | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Page 2 of 2 www.MedChemExpress.com