


## Triptolide-d<sub>3</sub>

<b>Cat. No.:</b>	HY-32735S
<b>Molecular Formula:</b>	C <sub>20</sub> H <sub>21</sub> D <sub>3</sub> O <sub>6</sub>
<b>Molecular Weight:</b>	363.42
<b>Target:</b>	NF-κB; Apoptosis; Isotope-Labeled Compounds
<b>Pathway:</b>	NF-κB; Apoptosis; Others
<b>Storage:</b>	Please store the product under the recommended conditions in the Certificate of Analysis.



### BIOLOGICAL ACTIVITY

<b>Description</b>	Triptolide-d <sub>3</sub> is the deuterium labeled Triptolide. Triptolide is a diterpenoid triepoxide extracted from the root of <i>Tripterygium wilfordii</i> with immunosuppressive, anti-inflammatory, antiproliferative and antitumour effects. Triptolide is a NF-κB activation inhibitor[1][2][3][4][5][6].
<b>In Vitro</b>	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

### REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother.* 2019;53(2):211-216.
- [2]. Ganguly S, et al. Targeting HSF1 disrupts HSP90 chaperone function in chronic lymphocytic leukemia. *Oncotarget.* 2015 Oct 13;6(31):31767-79.
- [3]. Huang M, et al. Triptolide inhibits MDM2 and induces apoptosis in acute lymphoblastic leukemia cells through a p53-independent pathway. *Mol Cancer Ther.* 2013 Feb;12(2):184-94.
- [4]. Xu P, et al. Triptolide Inhibited Cytotoxicity of Differentiated PC12 Cells Induced by Amyloid-Beta25-35 via the Autophagy Pathway. *PLoS One.* 2015 Nov 10;10(11):e0142719.
- [5]. Kong LL, et al. Inhibition of P-glycoprotein Gene Expression and Function Enhances Triptolide-induced Hepatotoxicity in Mice. *Sci Rep.* 2015 Jul 2;5:11747.
- [6]. Zhang W, et al. Triptolide Combined with Radiotherapy for the Treatment of Nasopharyngeal Carcinoma via NF-κB-Related Mechanism. *Int J Mol Sci.* 2016 Dec 19;17(12). pii: E2139.
- [7]. Cai J, et al. Natural product triptolide induces GSDME-mediated pyroptosis in head and neck cancer through suppressing mitochondrial hexokinase-II. *J Exp Clin Cancer Res.* 2021;40(1):190. Published 2021 Jun 9.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA