## (S,S,R,S,R)-Boc-Dap-NE

| Cat. No.:          | HY-78931C  |
|--------------------|--|
| CAS No.:           | 3026595-14-9   |
| Molecular Formula: | C <sub>23</sub> H <sub>36</sub> N <sub>2</sub> O <sub>5</sub>  |
| Molecular Weight:  | 420.54   |
| Target:            | Others   |
| Pathway:           | Others   |
| Storage:           | 4°C, stored under nitrogen<br>* In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen) |

## SOLVENT & SOLUBILITY

|  |                              | Solvent Mass<br>Concentration | 1 mg      | 5 mg       | 10 mg      |
|--|------------------------------|-------------------------------|-----------|------------|------------|
|  | Preparing<br>Stock Solutions | 1 mM                          | 2.3779 mL | 11.8895 mL | 23.7789 mL |
|  |                              | 5 mM                          | 0.4756 mL | 2.3779 mL  | 4.7558 mL  |
|  |                              | 10 mM                         | 0.2378 mL | 1.1889 mL  | 2.3779 mL  |

| BIOLOGICAL ACTIV |  |
|------------------|--|
| Description      | (S,S,R,S,R)-Boc-Dap-NE is an isomer of the dipeptide Boc-Dap-NE (HY-78931). Boc-Dap-NE is an intermediate in the synthesis of Monomethyl auristatin E (HY-15162), which is an inhibitor of tubulin polymerization. Monomethyl auristatin E can be used to synthesize Antibody-Drug Conjugates (ADCs) as ADC Cytotoxin. |

Caution: Product has not been fully validated for medical applications. For research use only.

| Tel: 609-228-6898 | Fax: 609-228-5909             | E-mail: tech@MedChemExpress.com |
|-------------------|-------------------------------|---------------------------------|
| Address: 1        | Deer Park Dr, Suite Q, Monmou | uth Junction, NJ 08852, USA     |



HO HO

Product Data Sheet