## **Fmoc-Phe-OH**

Cat. No.:	HY-79131
CAS No.:	35661-40-6
Molecular Formula:	C <sub>24</sub> H <sub>21</sub> NO <sub>4</sub>
Molecular Weight:	387.43
Target:	Amino Acid Derivatives
Pathway:	Others
Storage:	4°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)

### SOLVENT & SOLUBILITY

	Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg	
		1 mM	2.5811 mL	12.9056 mL	25.8111 mL	
		5 mM	0.5162 mL	2.5811 mL	5.1622 mL	
		10 mM	0.2581 mL	1.2906 mL	2.5811 mL	
	Please refer to the sol	ubility information to select the app	propriate solvent.			
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (6.45 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (6.45 mM); Clear solution					

BIOLOGICAL ACTIVITY				
DIDEOGICAL ACTIVITY				
Description	Fmoc-Phe-OH is a phenylalanine derivative <sup>[1]</sup> .			
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.			

#### REFERENCES

# Product Data Sheet

ΟН

|| 0

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-816.

#### Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA