





File ..DATA\2020\20200512\955\CPK2020-511-15870-.D Tgt Mass (CHM):
 Injection Date : 12 May 20 3:48 pm +0800 Seq. Line : 76
 Sample Name : CPK2020-511-15870 Location : P1-D-03
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 0.4 ul
 Acq. Method : D:\Chem32\1\data\2020\20200512\955\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200512\955\1-POS-3MIN.M
 Catalog No : HY-B0150
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-607
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.41	0.02	604.47	639.65	99.84	123
2.09	0.01	0.95	1.17	0.16	130

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.41	0.02	303.20	320.27	99.86	123
2.09	0.01	0.43	0.54	0.14	130

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
0.42	0.03	109960.98	57338.55	100.00	123

Ret. Time: 0.42

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

