Product Data Sheet

D-Glucose-13C-1

 $\begin{array}{lll} \textbf{Cat. No.:} & & \text{HY-B0389S11} \\ \textbf{CAS No.:} & & 84270\text{-}10\text{-}0 \\ \textbf{Molecular Formula:} & & \text{C}_5^{13}\text{CH}_{12}\text{O}_6 \\ \end{array}$

Molecular Weight: 181.15

Target: Endogenous Metabolite

Pathway: Metabolic Enzyme/Protease

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.

BIOLOGICAL ACTIVITY

| Description | D-Glucose-13C-1 (Glucose-13C-1) is the 13C labeled D-Glucose. D-Glucose (Glucose), a monosaccharide, is an important carbohydrate in biology. D-Glucose is a carbohydrate sweetener and critical components of the general metabolism, and serve as critical signaling molecules in relation to both cellular metabolic status and biotic and abiotic stress response ^[1] . |
|-------------|--|
| In Vitro | Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |

REFERENCES

 $[1]. \ Russak\ EM, et\ al.\ Impact\ of\ Deuterium\ Substitution\ on\ the\ Pharmacokinetics\ of\ Pharmaceuticals.\ Ann\ Pharmacother.\ 2019; 53(2): 211-216.$

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA