


Iproniazid

Cat. No.:	HY-B0886A
CAS No.:	54-92-2
Molecular Formula:	C ₉ H ₁₃ N ₃ O
Molecular Weight:	179.22
Target:	Monoamine Oxidase
Pathway:	Neuronal Signaling
Storage:	-20°C, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (557.97 mM; Need ultrasonic)				
	Preparing Stock Solutions	Solvent Concentration	1 mg	5 mg	10 mg
		1 mM	5.5797 mL	27.8987 mL	55.7973 mL
		5 mM	1.1159 mL	5.5797 mL	11.1595 mL
		10 mM	0.5580 mL	2.7899 mL	5.5797 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (13.95 mM); Clear solution				
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (13.95 mM); Clear solution				
	3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (13.95 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	Iproniazid is a non-selective, irreversible monoamine oxidase (MAO) inhibitor of the hydrazine class. Iproniazid has antidepressive activity ^[1] .
-------------	---

CUSTOMER VALIDATION

- Biotechnol Bioeng. 2021 Sep 3.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Fagervall I, et al. Inhibition of monoamine oxidase in monoaminergic neurones in the rat brain by irreversible inhibitors. *Biochemical pharmacology* 35 (8): 1381–1387

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA