## L-Glutathione reduced-d<sub>2</sub>

Cat. No.: Molecular Formula: Molecular Weight: Target: Pathway: Storage:	HY-D0187S5 C <sub>10</sub> H <sub>15</sub> D <sub>2</sub> N <sub>3</sub> O <sub>6</sub> S 309.34 Isotope-Labeled Compounds Others Please store the product under the recommended conditions in the Certificate of Analysis.	$HO \xrightarrow{O}_{H} H_{2} \xrightarrow{D} H_{0} \xrightarrow{D} H_{1} \xrightarrow{H} H_{0} \xrightarrow{H} H_{1} $
---	---	---

SH H N O	o o	Н

Product Data Sheet

BIOLOGICAL ACTIVITY			
Description	L-Glutathione reduced-d <sub>2</sub> (GSH-d <sub>2</sub> ; γ-L-Glutamyl-L-cysteinyl-glycine-d <sub>2</sub> ) is deuterated-labeled L-Glutathione reduced (HY- D0187). L-Glutathione reduced is an endogenous antioxidant and oxygen free radical scavenger.		
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.		

## REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

