Theobromine-d₃

BIOLOGICAL ACTIVITY

MedChemExpress

Cat. No.:	HY-N0138S1	L	
CAS No.:	65566-69-0		
Molecular Formula:	C ₇ H ₅ D ₃ N ₄ O ₂		
Molecular Weight:	183.18		
Target:	Adenosine Receptor; Endogenous Metabolite		
Pathway:	GPCR/G Protein; Metabolic Enzyme/Protease		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month

D

Biologiciteite	
Description	Theobromine-d ₃ is the deuterium labeled Theobromine. Theobromine is a methylxanthine found in cacao beans which can inhibit adenosine receptor A1 (AR1) signaling.
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.

[2]. Mitani T, et al. Theobromine suppresses adipogenesis through enhancement of CCAAT-enhancer-binding protein β degradation by adenosine receptor A1.

[3]. Martín-Peláez S, et al. Effect of cocoa's theobromine on intestinal microbiota of rats. Mol Nutr Food Res. 2017 Oct;61(10).

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909

228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA