





File ..\DATA\2020\20200220\842\BIZ2020-219-CXL1.D Tgt Mass (CHM) :
 Injection Date : 20 Feb 20 12:39 pm +0800 Seq. Line : 46
 Sample Name : BIZ2020-219-CXL1 Location : PI-A-02
 Acq. Operator : LQ_1052 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 0.5 ul
 Acq. Method : D:\Chem32\1\data\2020\20200220\842\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200220\842\1-POS-3MIN.M
 Catalog No : HY-N6002 Batch# 59852
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-433
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.74	0.02	845.59	775.19	98.95	273
1.79	0.02	6.28	5.42	0.73	293
1.94	0.02	2.71	2.82	0.32	ND

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.12	0.01	3.10	3.96	0.85	184
1.74	0.02	357.62	344.45	98.00	273
1.80	0.02	3.00	2.32	0.82	293
1.94	0.02	1.19	0.87	0.33	ND

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.76	0.03	323095.03	176565.78	100.00	273

Ret. Time: 1.76

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

