


## Roridin L2

|                    |   |
|--------------------|---|
| Cat. No.:          | HY-N8400  |
| CAS No.:           | 85124-22-7  |
| Molecular Formula: | C <sub>29</sub> H <sub>38</sub> O <sub>9</sub>  |
| Molecular Weight:  | 530.61  |
| Target:            | Endogenous Metabolite   |
| Pathway:           | Metabolic Enzyme/Protease   |
| Storage:           | Please store the product under the recommended conditions in the Certificate of Analysis. |



### BIOLOGICAL ACTIVITY

|                           |   |
|---------------------------|---|
| Description               | Roridin L2, a fungal metabolite, is a biosynthetic precursor of Satratoxin G. Roridin L2 possesses little in vitro or in vivo toxic activity <sup>[1]</sup> . |
| IC <sub>50</sub> & Target | Microbial Metabolite  |

### REFERENCES

[1]. Zahidul Islam, et al. Purification and comparative neurotoxicity of the trichothecenes satratoxin G and roridin L2 from *Stachybotrys chartarum*. J Toxicol Environ Health A. 2009;72(20):1242-51.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA