

## **Product** Data Sheet

## RQIK-(Lys-fructosyl)-QTA-(Leu-13C6,15N)-VE TFA

Cat. No.: HY-P5190S1

**Molecular Formula:**  $C_{59}^{13}C_{6}H_{115}^{}F_{3}N_{17}^{15}NO_{24}^{}$ 


Molecular Weight: 1596.66

Target: Isotope-Labeled Compounds

Pathway: Others

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.



## **BIOLOGICAL ACTIVITY**

Description	RQIK-(Lys-fructosyl)-QTA-(Leu- $^{13}$ C $_6$ , $^{15}$ N)-VE TFA is the $^{13}$ C and $^{15}$ N labeled compound [1].
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> .  MCE has not independently confirmed the accuracy of these methods. They are for reference only.

## **REFERENCES**

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Inhibitors