

Animal-Free IL-17A Protein, Pig (His)

| | |
|--------------------------|---|
| Cat. No.: | HY-P700246AF |
| Synonyms: | Interleukin-17A; IL-17; IL-17A; Cytotoxic T-Lymphocyte-Associated Antigen 8; CTLA-8; IL17A; CTLA8; IL17 |
| Species: | Pig |
| Source: | E. coli |
| Accession: | B6E279 (G24-S153) |
| Gene ID: | 449530 |
| Molecular Weight: | Approximately 15.81 kDa |

PROPERTIES

| | |
|--------------------------------|---|
| AA Sequence | <p>M G I M I P Q S P G C P K T E D K N F P Q H V R V N L N I L N R S T P A R R P S</p> <p>D Y S K R S T S P W T L Q R N E D P E R Y P S V I W E A K C S H S G C I N A E G</p> <p>K E D H H M N S V P I Q Q E I L V L R R E P R H C P N S F R L E K V M V T V G C</p> <p>T C V T P I V R H I S</p> |
| Appearance | Lyophilized powder |
| Formulation | Lyophilized from a solution containing 1X PBS, pH7.4. |
| Endotoxin Level | <0.01 EU per 1 µg of the protein by the LAL method. |
| Reconstitution | It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O. |
| Storage & Stability | Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage. |
| Shipping | Room temperature in continental US; may vary elsewhere. |

DESCRIPTION

| | |
|-------------------|---|
| Background | IL-17A Protein is a member of the IL-17 family. |
|-------------------|---|

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA