

Cadherin-17 Protein, Human (765a.a, HEK293, hFc)

Cat. No.: HY-P700688

Synonyms: Cadherin-17; BILL-cadherin; Ll-cadherin; P130; Cdh17; CDH16; HPT-1; cadherin-16; FLJ26931;

Room temperature in continental US; may vary elsewhere.

MGC138218; MGC142024

Species: Human
Source: HEK293

Accession: Q12864 (Q23-M787)

Gene ID: 1015

PROPERTIES

Shipping

Molecular Weight: 113-135 kDa

T KOT EKTIES	
Biological Activity	Immobilized Human CDH17, hFc Tag at $0.5\mu g/ml$ ($100\mu l/well$) on the plate. Dose response curve for Biotinylated Anti-CDH17 Antibody, hFc Tag with the EC ₅₀ of 14.8ng/ml determined by ELISA.
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Normally 8% trehalose is added as protectant before lyophilization.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconsititution	It is not recommended to reconstitute to a concentration less than 100 μg/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer. It is recommended to freeze aliquots at -20°C or -80°C for extended storage.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Inhibitors

Screening Libraries

Proteins