

ANGPTL7/Angiopoietin-related 7 Protein, Human (HEK293, hFc)

Cat. No.:	HY-P700852
Synonyms:	angiopoietin-like 7; Angiopoietin-like factor; ANGPTL7; AngX; CDT6
Species:	Human
Source:	HEK293
Accession:	O43827 (Q27-P346)
Gene ID:	10218
Molecular Weight:	70-90 kDa

PROPERTIES

Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.22 μ m filtered solution of PBS, pH 7.4. Normally 8% trehalose is added as protectant before lyophilization.
Endotoxin Level	<1 EU/ μ g, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 μ g/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION

Background	<p>The ANGPTL7/Angiopoietin-related 7 protein assumes a crucial role in the formation and organization of the extracellular matrix. Particularly in the eye, it acts as a mediator of dexamethasone-induced matrix deposition within the trabecular meshwork, a tissue essential for the outflow of ocular aqueous humor and the maintenance of intraocular pressure. Additionally, ANGPTL7 serves as a negative regulator of angiogenesis in the cornea, playing a significant role in preserving corneal avascularity and transparency, as suggested by research findings. Structurally, it forms a homotetramer through disulfide linkages, further emphasizing its role in maintaining the structural integrity of the extracellular matrix in ocular tissues.</p>
------------	--

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA