

## CA125 Protein, Human (685a.a, HEK293, His)

Cat. No.:	HY-P700961
Synonyms:	CA125; CA-125; CA125MUC-16; FLJ14303; MUC16
Species:	Human
Source:	HEK293
Accession:	Q8WXI7 (D12783-S13467)
Gene ID:	94025
Molecular Weight:	90-140 kDa

### PROPERTIES

Biological Activity	Immobilized Human CA125, His Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Human MSLN, hFc Tag with the EC <sub>50</sub> of 27.4ng/ml determined by ELISA.
Appearance	Solution.
Formulation	Supplied as a 0.22µm filtered solution of PBS, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	N/A.
Storage & Stability	Stored at -80°C for 1 year. It is stable at -20°C for 3 months after opening. It is recommended to freeze aliquots at -80°C for extended storage. Avoid repeated freeze-thaw cycles.
Shipping	Shipping with dry ice.

### DESCRIPTION

Background	CA125 protein is believed to serve a crucial role in establishing a protective and lubricating barrier against particles and infectious agents at mucosal surfaces. It exerts its functions through binding to MSLN, where the interaction mediates heterotypic cell adhesion. This adhesive property may play a significant role in the metastasis of ovarian cancer to the peritoneum, as CA125 initiates cell attachment to the mesothelial epithelium by binding to MSLN. The interaction between CA125 and MSLN underscores its potential involvement in the adhesive events associated with cancer metastasis, particularly in the context of ovarian cancer progression to the peritoneal cavity.
------------	--

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA