

# **Screening Libraries**

**Product** Data Sheet

## **BRPF3 Protein, Human (His)**

Cat. No.: HY-P702059

Synonyms: BRPF3; Bromodomain and PHD finger-containing protein 3

Species: Human E. coli Source:

Accession: Q9ULD4 (D1056-G1195)

Gene ID: 27154

Molecular Weight:

## **Proteins**

## **PROPERTIES**

Appearance	Solution.
Formulation	Supplied as a 0.22 μm filtered solution of 50 mM Tris-HCl, pH7.5, 200 mM NaCl, 20% glycerol.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconsititution	Please use rapid thawing with running water to thaw the protein.
Storage & Stability	Stored at -80°C for 1 year. It is stable at -20°C for 3 months after opening. It is recommended to freeze aliquots at -80°C for extended storage. Avoid repeated freeze-thaw cycles.
Shipping	Shipping with dry ice.

## **DESCRIPTION**

### Background

BRPF3, serving as a scaffold subunit in diverse histone acetyltransferase (HAT) complexes, including MOZ/MORF and HBO1, is instrumental in histone H3 acetylation activities. Particularly, in the HBO1 complex, BRPF3 plays a crucial role in directing the specificity of KAT7/HBO1 towards acetylation of histone H3 at 'Lys-14' (H3K14ac), thereby facilitating the initiation of DNA replication and promoting the activation of replication origins. As part of the MOZ/MORF complex, BRPF3 collaborates with key components such as ING5, KAT6A, KAT6B, and MEAF6. Moreover, BRPF3 is a vital member of specific HBO1 complexes composed of KAT7/HBO1, MEAF6, and ING4 or ING5. The direct interaction between BRPF3 and KAT7/HBO1 highlights its role as a critical mediator in these HAT complexes, shedding light on its involvement in the intricate regulation of histone acetylation and DNA replication processes.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Fax: 609-228-5909

Page 1 of 1