

CCR6 Protein-VLP, Human (HEK293, His)

Cat. No.:	HY-P702594
Synonyms:	C-C chemokine receptor type 6; Chemokine receptor-like 3; CKR-L3; DRY6; G-protein coupled receptor 29; GPR-CY4; GPRCY4; LARC receptor
Species:	Human
Source:	HEK293
Accession:	P51684 (M1-M374)
Gene ID:	1235
Molecular Weight:	42.5 kDa

PROPERTIES

AA Sequence	<pre> MSGESMNFSD VFDSSSEDYFV SVNTSYYSVD SEMLLCSLQE VRQFSRLFVP IAYSLICVFG LLGNILVVIT FAFYKKARSM TDVYLLNMAI ADILFVLTLP FWAVSHATGA WVFSNATCKL LKG IYA I NFN CGMLLLTCIS MDRYIAIVQA TKSFR LRSRT LPRSKIICLV VWGLSVIIS STFVFNQKYN TQGS D VCEPK YQTVSEPIRW KLLMLGLELL FGFFIPLMFM IFCYTFIVKT LVQAQNSKRH KAIRV I IAVV LVFLACQIPH NMVLLVTAAN LGKMNRSCQS EKLIGYTKTV TEVLAFLHCC LNPVLYAFIG QKFRNYFLKI LKDLWCVRK YKSSGFSCAG RYSENI SRQT SETADNDNAS SFTM </pre>
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.22 µm filtered solution of Tris/PBS-based buffer, 6% Trehalose, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA