

## Product Data Sheet

## Animal-Free MIF Protein, Human (His)

Cat. No.:	HY-P70288AF
Synonyms:	rHuMacrophage migration inhibitory factor/MIF, His; Macrophage migration inhibitory factor; MIF; MMIF; Glycosylation-inhibiting factor; GLIF; L-dopachrome tautomerase; Phenylpyruvate tautomerase
Species:	Human
Source:	E. coli
Accession:	P14174 (M1-A115)
Gene ID:	4282
Molecular Weight:	Approximately 13.28 kDa

PROPERTIES	
PROPERTIES	
AA Sequence	MPMFIVNTNV PRASVPDGFL SELTQQLAQA TGKPPQYIAV HVVPDQLMAF GGSSEPCALC SLHSIGKIGG AQNRSYSKLL CGLLAERLRI SPDRVYINYY DMNAANVGWN NSTFA
Appearance	Lyophilized powder.
Formulation	Lyophilized from a solution containing 1X PBS, pH 8.0.
Endotoxin Level	<0.1 EU per 1 $\mu g$ of the protein by the LAL method.
Reconsititution	It is not recommended to reconstitute to a concentration less than 100 $\mu\text{g}/\text{mL}$ in ddH_2O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

## DESCRIPTION

BackgroundMIF Protein is a pro-inflammatory cytokine that plays a crucial role in the innate immune response against bacterial<br/>pathogens. Its expression at sites of inflammation suggests its involvement in regulating macrophage function in host<br/>defense. MIF counteracts the anti-inflammatory effects of glucocorticoids. Although MIF has phenylpyruvate tautomerase<br/>and dopachrome tautomerase activity in vitro, the physiological substrate of MIF is still unknown. It remains unclear<br/>whether the tautomerase activity is relevant to its cytokine activity.

## Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA