

IL-4R alpha/CD124 Protein, Mouse (208a.a, HEK293, Fc)

Cat. No.:	HY-P70305
Synonyms:	rMuInterleukin-4 receptor subunit alpha/IL-4RA, Fc; Interleukin-4 receptor subunit alpha; IL-4R-alpha; CD124; IL4-BP; Soluble IL-4R-alpha; IL-4RA
Species:	Mouse
Source:	HEK 293
Accession:	P16382 (I26-R233)
Gene ID:	16190
Molecular Weight:	65-80 kDa

PROPERTIES

AA Sequence	<pre> I K V L G E P T C F S D Y I R T S T C E W F L D S A V D C S S Q L C L H Y R L M F F E F S E N L T C I P R N S A S T V C V C H M E M N R P V Q S D R Y Q M E L W A E H R Q L W Q G S F S P S G N V K P L A P D N L T L H T N V S D E W L L T W N N L Y P S N N L L Y K D L I S M V N I S R E D N P A E F I V Y N V T Y K E P R L S F P I N I L M S G V Y Y T A R V R V R S Q I L T G T W S E W S P S I T W Y N H F Q L P L I Q R </pre>
Biological Activity	Data is not available.
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer. It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA