

## FLT3LG Protein, Human (HEK293, His)

Cat. No.:	HY-P70544
Synonyms:	Fms-Felated Tyrosine Kinase 3 Ligand; Flt3 Ligand; Flt3L; SL Cytokine; FLT3LG
Species:	Human
Source:	HEK293
Accession:	P49771 (T27-P184)
Gene ID:	2323
Molecular Weight:	24-32 kDa

### PROPERTIES

AA Sequence	<p>T Q D C S F Q H S P    I S S D F A V K I R    E L S D Y L L Q D Y    P V T V A S N L Q D</p> <p>E E L C G G L W R L    V L A Q R W M E R L    K T V A G S K M Q G    L L E R V N T E I H</p> <p>F V T K C A F Q P P    P S C L R F V Q T N    I S R L L Q E T S E    Q L V A L K P W I T</p> <p>R Q N F S R C L E L    Q C Q P D S S T L P    P P W S P R P L E A    T A P T A P Q P</p>
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl, pH 8.0.
Endotoxin Level	<0.01 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH <sub>2</sub> O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose).
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

### DESCRIPTION

Background	<p>FLT3LG protein serves as a potent stimulator of early hematopoietic cell proliferation through the activation of FLT3, demonstrating synergistic effects when combined with various colony-stimulating factors and interleukins. This homodimeric protein, particularly in isoform 2, plays a crucial role in promoting the expansion and differentiation of hematopoietic progenitor cells. Its ability to activate FLT3 and collaborate with other signaling molecules underscores its significance in regulating hematopoiesis and maintaining the balance of the hematopoietic system.</p>
------------	---

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA