

## IL-17RA Protein, Human (HEK293, Fc)

<b>Cat. No.:</b>	HY-P70607
<b>Synonyms:</b>	Interleukin-17 receptor A; IL-17 receptor A; IL-17RA; CDw217; CD_antigen; CD217; IL17RA; IL17R
<b>Species:</b>	Human
<b>Source:</b>	HEK 293
<b>Accession:</b>	Q96F46 (L33-W320)
<b>Gene ID:</b>	23765
<b>Molecular Weight:</b>	90-120 kDa

### PROPERTIES

<b>AA Sequence</b>	<pre> L R L L D H R A L V   C S Q P G L N C T V   K N S T C L D D S W   I H P R N L T P S S P K D L Q I Q L H F   A H T Q Q G D L F P   V A H I E W T L Q T   D A S I L Y L E G A E L S V L Q L N T N   E R L C V R F E F L   S K L R H H H R R W   R F T F S H F V V D P D Q E Y E V T V H   H L P K P I P D G D   P N H Q S K N F L V   P D C E H A R M K V T T P C M S S G S L   W D P N I T V E T L   E A H Q L R V S F T   L W N E S T H Y Q I L L T S F P H M E N   H S C F E H M H H I   P A P R P E E F H Q   R S N V T L T L R N L K G C C R H Q V Q   I Q P F F S S C L N   D C L R H S A T V S   C P E M P D T P E P I P D Y M P L W </pre>
<b>Biological Activity</b>	Data is not available.
<b>Appearance</b>	Lyophilized powder.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.
<b>Endotoxin Level</b>	<1 EU/µg, determined by LAL method.
<b>Reconstitution</b>	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH <sub>2</sub> O.
<b>Storage &amp; Stability</b>	Stored at -20°C. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer. It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
<b>Shipping</b>	Room temperature in continental US; may vary elsewhere.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA