

IL-17C Protein, Human (HEK293, His)

Cat. No.:	HY-P72587
Synonyms:	CX2; Cytokine CX2; IL17C; Interleukin-17C
Species:	Human
Source:	HEK 293
Accession:	Q9P0M4 (H19-V197)
Gene ID:	27189
Molecular Weight:	Approximately 19 kDa

PROPERTIES

AA Sequence	<pre> HH D P S L R G H P H S H G T P H C Y S A E E L P L G Q A P P H L L A R G A K W G Q A L P V A L V S S L E A A S H R G R H E R P S A T T Q C P V L R P E E V L E A D T H Q R S I S P W R Y R V D T D E D R Y P Q K L A F A E C L C R G C I D A R T G R E T A A L N S V R L L Q S L L V L R R R P C S R D G S G L P T P G A F A F H T E F I H V P V G C T C V L P R S V </pre>
Biological Activity	Data is not available.
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer. It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA