

BTLA/CD272 Protein, Human (104a.a, HEK293, Fc)

Cat. No.:	HY-P72858
Synonyms:	B-and T-lymphocyte attenuator; CD272; BTLA
Species:	Human
Source:	HEK293
Accession:	Q7Z6A9-2 (K31-T134)
Gene ID:	151888
Molecular Weight:	Approximately 42.2 kDa

PROPERTIES

AA Sequence	<p>M K T L P A M L G T G K L F W V F F L I P Y L D I W N I H G K E S C D V Q L Y I</p> <p>K R Q S E H S I L A G D P F E L E C P V K Y C A N R P H V T W C K L N G T T C V</p> <p>K L E D R Q T S W K E E K N I S F F I L H F E P V L P N D N G S Y R C S A N F Q</p> <p>S N L I E S H S T T L Y V T</p>
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer. It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA