

LIF Protein, Mouse (HEK293, His)

Cat. No.:	HY-P73280
Synonyms:	LIF; Leukemia inhibitory factor; HILDA; D factor; MLPLI
Species:	Mouse
Source:	HEK293
Accession:	P09056 (M1-F203)
Gene ID:	16878
Molecular Weight:	35-45 kDa

PROPERTIES

Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION

Background	LIF (Leukemia Inhibitory Factor) exhibits the capability to prompt terminal differentiation in leukemic cells, showcasing a diverse range of activities. Notably, it induces hematopoietic differentiation in both normal and myeloid leukemia cells, facilitates neuronal cell differentiation, and stimulates the synthesis of acute-phase proteins in hepatocytes. This multifaceted role underscores LIF's significance in orchestrating various cellular processes, contributing to the regulation of hematopoiesis, neurogenesis, and hepatic responses.
------------	--

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA