

## Product Data Sheet

## NBL1 Protein, Human (HEK293, His)

HY-P74736
Neuroblastoma suppressor of tumorigenicity 1; Protein N03; NBL1; DAN; DAND1
Human
HEK293
P41271 (A17-D181)
100532736/4681
Approximately 25 kDa

PROPERTIES	
AA Sequence	AAPPPINKL ALFPDKSAWC EAKNITQIVG HSGCEAKSIQ
	NRACLGQCFS YSVPNTFPQS TESLVHCDSC MPAQSMWEIV
	TLECPGHEEV PRVDKLVEKI LHCSCQACGK EPSHEGLSVY
	VQGEDGPGSQ PGTHPHPHPH PHPGGQTPEP EDPPGAPHTE
	E E G A E D
Diele sizel Astivity	
Biological Activity	Measured by its ability to inhibit BMP-4-induced activity in MC3T3⊠E1 mouse preosteoblast cells. The ED <sub>50</sub> for this effect is 0.3530 µg/mL in the presence of 50 ng/mL of rhBMP-4, corresponding to a specific activity is 2.833×10 <sup>3</sup> U/mg.
	0.3530 µg/mL in the presence of 50 ng/mL of mBMP-4, corresponding to a specific activity is 2.833×10° 0/mg.
Appearance	Lyophilized powder
Appearance	
Formulation	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween 80 are
	added as protectants before lyophilization.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconsititution	It is not recommended to reconstitute to a concentration less than 100 $\mu$ g/mL in ddH <sub>2</sub> O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is
	recommended to freeze aliquots at -20°C or -80°C for extended storage.
	-
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION	
Background	NBL1 protein emerges as a potential tumor suppressor gene in neuroblastoma, suggesting its pivotal role in impeding cel from progressing into the critical G1/S stage of the transformation process. Notably, NBL1 functions as a homodimer, highlighting its involvement in regulatory mechanisms that govern cellular transformation and underscoring its potential contributions to the maintenance of normal cellular growth control.

## Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA