**Proteins** 



## **Product** Data Sheet

## B7-1/CD80 Protein, Mouse (208a.a, HEK293, Fc)

Cat. No.: HY-P7632

Synonyms: rMuB7-1, C-Fc; Activation B7-1 antigen

Species: Mouse HEK293 Source:

Q00609 (V38-K245) Accession:

Gene ID: 12519

Molecular Weight: Approximately 72.0 kDa

## **PROPERTIES**

**AA Sequence** 

VDEQLSKSVK DKVLLPCRYN SPHEDESEDR IYWQKHDKVV LSVIAGKLKV WPEYKNRTLY DNTTYSLIIL GLVLSDRGTY SCVVQKKERG TYEVKHLALV KLSIKADFST PNITESGNPS ADTKRITCFA SGGFPKPRFS WLENGRELPG INTTISQDPE SELYTISSQL DFNTTRNHTI KCLIKYGDAH VSEDFTWEKP

PEDPPDSK-F

Tag

**Appearance** 

Lyophilized powder.

Formulation Lyophilized after extensive dialysis against PBS, pH7.4.

**Endotoxin Level** 

<1 EU/µg, determined by LAL method.

Reconsititution

It is not recommended to reconstitute to a concentration less than 100 μg/mL in ddH<sub>2</sub>O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose).

Storage & Stability

Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.

**Shipping** 

Room temperature in continental US; may vary elsewhere.

## **DESCRIPTION**

Background

B7-1 and PD-L1 interact with an affinity intermediate to that of B7-1:CD28 and B7-1:CTLA-4. The PD-L1:B7-1 interface overlaps with the B7-1:CTLA-4 and PD-L1:PD-1 interfaces. B7-1:PD-L1 interaction can inhibit T cell proliferation and cytokine production[1].

Page 1 of 2 www.MedChemExpress.com

1]. Manish J Butte, et al. Programmed death-1 ligand 1 interacts specifically with the B7-1 costimulatory molecule to inhibit T cell responses. Immunity. 2007 Jul;27(1					
	Caution: Droduct has	not been fully validated for me	andical applications. For ro	coarch use only	
		not been fully validated for m			
	Tel: 609-228-6898	not been fully validated for m Fax: 609-228-5909 1 Deer Park Dr, Suite Q, Monm	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	
	Tel: 609-228-6898	Fax: 609-228-5909	E-mail: tech@MedCh	nemExpress.com	

Page 2 of 2 www.MedChemExpress.com