



Certificate of Analysis

FOLR2 Protein, Human (HEK293, His)

| | |
|-------------------|---|
| Cat. No.: | HY-P76348 |
| Batch No.: | 385147 |
| Species: | Human |
| Source: | HEK293 |
| Tag: | C-6*His |
| Accession: | P14207 (T17-H228) |
| Gene ID: | 2350 |
| Molecular Weight: | Approximately 28-35 kDa due to the glycosylation. |

ANALYTICAL DATA

| TEST | Specifications | Results |
|---------------------|---|----------|
| Purity | Greater than 95% as determined by reducing SDS-PAGE. | ≥97.0% |
| Endotoxin Level | <1 EU/μg, determined by LAL method. | PASS |
| Biological Activity | Measured by its binding ability in a functional ELISA. When Folic acid -BSA conjugate is coated at 5 μg/mL (100 μL/well), the concentration of rhFOLR2 that produces 50% of the optimal binding response is found to be approximately 0.983 nM. | 0.983 nM |
| Appearance | Lyophilized powder | |
| Reconstitution | It is not recommended to reconstitute to a concentration less than 100 μg/mL in ddH ₂ O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose). | |
| Storage & Stability | Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage. | |
| Shipping | Room temperature in continental US; may vary elsewhere. | |

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA