

BTN3A1/CD277 Protein, Human (225a.a, HEK293, Fc)

Cat. No.:	HY-P7683
Synonyms:	rHuBTN3A1/CD277, C-Fc; Butyrophilin subfamily 3 member A1; CD277; BTN3A1
Species:	Human
Source:	HEK293
Accession:	O00481 (Q30-G254)
Gene ID:	11119
Molecular Weight:	Approximately 55.0 kDa

PROPERTIES

AA Sequence	<p> Q F S V L G P S G P I L A M V G E D A D L P C H L F P T M S A E T M E L K W V S S S L R Q V V N V Y A D G K E V E D R Q S A P Y R G R T S I L R D G I T A G K A A L R I H N V T A S D S G K Y L C Y F Q D G D F Y E K A L V E L K V A A L G S D L H V D V K G Y K D G G I H L E C R S T G W Y P Q P Q I Q W S N N K G E N I P T V E A P V V A D G V G L Y A V A A S V I M R G S S G E G V S C T I R S S L L G L E K T A S I S I A D P F F R S A Q R W I A A L A G - F c t a g </p>
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose).
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION

Background	Butyrophilins belonging to the immunoglobulin superfamily are new immune system regulators because they are present on lymphocytes, dendritic cells, monocytes, macrophages, neutrophils and eosinophils, and they exert a stimulatory and (or) inhibitory effect on them ^[1] .
------------	--

REFERENCES

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA