

Screening Libraries

Proteins



Product Data Sheet

EDA2R/XEDAR Protein, Cynomolgus (HEK293, His)

Cat. No.: HY-P77353

Synonyms: Tumor necrosis factor receptor superfamily member 27; EDA-A2 receptor; EDA2R; TNFRSF27;

Cynomolgus Species: Source: **HEK293**

Accession: XP_005593864 (M1-E136)

Gene ID: 102116506

Molecular Weight: Approximately 25-29 kDa due to the glycosylation

PROPERTIES

	_						
AA	~	മവ	11	Δ	n	~	Δ

MDCQENEYWD QWGRCVTCQR CGPGQELSKD CGYGEGGDAY CTACPPRRYK SSWGHHRCQS $\mathsf{C} \; \mathsf{I} \; \mathsf{T} \; \mathsf{C} \; \mathsf{A} \; \mathsf{V} \; \mathsf{I} \; \mathsf{N} \; \mathsf{R} \; \mathsf{V}$ QKVNCTATSN AVCGDCLPRF YRKTRIGGLQ EQECIPCTKQ TPTSEVQCAF

QLSLVEADAP TVPPQE

Biological Activity

Immobilized Recombinant Human EDA-A2 at 1 μg/mL (100 μL/well) can bind Recombinant Cynomolgus EDA2R. The ED₅₀ for this effect is 153.9 ng/mL.

Appearance

Lyophilized powder.

Formulation

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Endotoxin Level

<1 EU/µg, determined by LAL method.

Reconsititution

It is not recommended to reconstitute to a concentration less than 100 μg/mL in ddH₂O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose).

Storage & Stability

Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.

Shipping

Room temperature in continental US; may vary elsewhere.

DESCRIPTION

Background

EDA2R, also known as XEDAR, presents a distinctive feature as it lacks conserved residue(s) necessary for the propagation of feature annotation. This unique characteristic raises intriguing questions about the structural and functional aspects of EDA2R, hinting at potential variations in its molecular interactions and signaling pathways. The absence of these conserved residues highlights the need for in-depth investigations to elucidate the specific roles and regulatory mechanisms associated with EDA2R, shedding light on its contributions to cellular processes and biological functions.

www.MedChemExpress.com Page 1 of 2

 $\label{lem:caution:Product} \textbf{Caution: Product has not been fully validated for medical applications. For research use only.}$

Tel: 609-228-6898 Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 2 of 2 www.MedChemExpress.com