

Screening Libraries

Proteins

Product Data Sheet

HLA-A*0201 WT-1 Complex Protein, Human (HEK293, His-Avi)

Cat. No.: HY-P77792

MHC; WT1; RMF; AWT1; GUD; NPHS4GUD; WAGR; WIT-2; WT33 Synonyms:

Species: Source: HEK293

Accession: A0A140T913 (G25-T305)&P61769 (I21-M119)&RMFPNAPYL

Gene ID: /&567 Molecular Weight: 52-60 kDa

			ES

Biological Activity	Immobilized Human WT-1 (HLA-A*02:01) , His Tag at $2\mu g/ml$ ($100\mu l/well$) on the plate. Dose response curve for Anti-WT-1 Antibody, hFc Tag with the EC ₅₀ of 26.3ng/ml determined by ELISA.			
Appearance	Lyophilized powder.			
Formulation	Lyophilized from a 0.22 μ m filtered solution of PBS, pH 7.4. Normally 5% trehalose is added as protectant before lyophilization.			
Endotoxin Level	<1 EU/µg, determined by LAL method.			
Reconsititution	It is not recommended to reconstitute to a concentration less than 100 $\mu g/mL$ in ddH ₂ O.			
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.			
Shipping	Room temperature in continental US; may vary elsewhere.			

DESCRIPTION

Background

The Chimeric HLA-A*0201 WT-1 Complex belongs to the major histocompatibility complex (MHC) class I family. The Chimeric HLA-A*0201 WT-1 Complex Tetramer is also a member of the MHC class I family.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 1 of 1