

KRAS Protein, Human (G13C, His)

Cat. No.:	HY-P7804A
Synonyms:	Ki-Ras; c-K-ras; KRAS2; RASK2
Species:	Human
Source:	E. coli
Accession:	AAH13572.1 (T2-C185, G13C)
Gene ID:	3845
Molecular Weight:	Approximately 25 kDa

PROPERTIES

AA Sequence	<p> T E Y K L V V V G A G C V G K S A L T I Q L I Q N H F V D E Y D P T I E D S Y R K Q V V I D G E T C L L D I L D T A G Q E E Y S A M R D Q Y M R T G E G F L C V F A I N N T K S F E D I H H Y R E Q I K R V K D S E D V P M V L V G N K C D L P S R T V D T K Q A Q D L A R S Y G I P F I E T S A K T R Q G V D D A F Y T L V R E I R K H K E K M S K D G K K K K K K S K T K C </p>
Biological Activity	Measured by its ability to catalyze the substrate GTP. The specific activity is 2.08 nmol/min/mg, as measured under the described conditions.
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.2 µm filtered solution of 50 mM Tris-HCL, 300 mM NaCl, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100 µg/mL in ddH ₂ O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose).
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION

Background	<p> KRAS, a pivotal member of the Ras protein family, exhibits the ability to bind GDP/GTP and possesses intrinsic GTPase activity. Its crucial involvement in the regulation of cell proliferation underscores its significance in cellular processes. Notably, KRAS plays a prominent role in promoting oncogenic events, particularly in colorectal cancer (CRC), where it induces transcriptional silencing of tumor suppressor genes (TSGs) in a ZNF304-dependent manner. This multifaceted </p>
------------	---

functionality highlights KRAS as a key player in cellular dynamics and emphasizes its relevance in both normal and pathological cellular processes.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA