

Screening Libraries

Proteins



Product Data Sheet

TSLP Protein, Human (R127A, R130A, HEK293, mFc)

Cat. No.: HY-P78659

Thymic stromal lymphopoietin; Thymic stroma-derived lymphopoietin; TSLP Synonyms:

Species: Source: HEK293

Accession: Q969D9 (Y29-Q159, R127A, R130A)

Gene ID: 85480 Molecular Weight: 50-58 kDa

Р	R	O	Ρ	Е	R	П	ES

Biological Activity	Immobilized Human TSLP R Fc at 5 μ g/mL (100 μ L/well) can bind Human TSLP (R127A, R130A) mFc with a linear range of 0.3-1.7 ng/mL.
Appearance	Lyophilized powder
Formulation	Lyophilized from a 0.22 μm filtered solution of PBS, 6% Trehalose, pH 7.4.
Endotoxin Level	<0.1 EU/μg, determined by LAL method.
Reconsititution	It is not recommended to reconstitute to a concentration less than 100 μ g/mL in ddH ₂ O. For long term storage it is recommended to add a carrier protein (0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose).
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION

Background

The TSLP protein is a cytokine that stimulates the release of T-cell-attracting chemokines from monocytes, with a particular effect on enhancing the maturation of CD11c(+) dendritic cells. Additionally, this protein can directly activate mast cells, potentially leading to the induction of allergic inflammation. It is also suggested that TSLP may have antimicrobial properties in the oral cavity and on the skin.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 1 of 1