

ATG7 Antibody

Cat. No.:	HY-P80559
Synonyms:	ATG7 Antibody is a non-conjugated and Rabbit originated monoclonal antibody about 78 kDa, targeting to ATG7. It can be used for WB assays with tag free, in the background of Human, Mouse, Rat.
Host:	Rabbit
Reactivity:	Human, Mouse, Rat
Conjugation:	Non-conjugated
SwissProt ID:	O95352
Research Field:	Cell Biology
Molecular Weight:	Predicted band size: 78 kDa

PROPERTIES

Formulation	Supplied in 50 mM Tris-Glycine (pH 7.4), 0.15 M NaCl, 40% Glycerol and 0.05% BSA. Preservative: 0.01% Sodium azide				
Purity	affinity purified				
Storage & Stability	Stored at -20°C for 1 year. Avoid repeated freeze / thaw cycles.				
Appearance	Liquid				
Application & Dilution Ratio	<table> <thead> <tr> <th>Application</th> <th>Dilution Ratio</th> </tr> </thead> <tbody> <tr> <td>WB</td> <td>1:500-1:1,000</td> </tr> </tbody> </table>	Application	Dilution Ratio	WB	1:500-1:1,000
Application	Dilution Ratio				
WB	1:500-1:1,000				
Shipping	Shipping with blue ice.				

DESCRIPTION

Background	<p>ATG7: This gene encodes an E1-like activating enzyme that is essential for autophagy and cytoplasmic to vacuole transport. The encoded protein is also thought to modulate p53-dependent cell cycle pathways during prolonged metabolic stress. It has been associated with multiple functions, including axon membrane trafficking, axonal homeostasis, mitophagy, adipose differentiation, and hematopoietic stem cell maintenance. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2015]</p>
------------	---

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA