

## CD127 Antibody

Cat. No.:	HY-P80593
Synonyms:	CD127 Antibody is a non-conjugated and Rabbit originated monoclonal antibody about 52 kDa, targeting to CD127. It can be used for WB assays with tag free, in the background of Human.
Host:	Rabbit
Reactivity:	Human
Conjugation:	Non-conjugated
SwissProt ID:	P16871
Research Field:	Immunology
Molecular Weight:	Predicted band size: 52 kDa

### PROPERTIES

Formulation	Supplied in 50 mM Tris-Glycine (pH 7.4), 0.15 M NaCl, 40% Glycerol and 0.05% BSA. Preservative: 0.01% Sodium azide				
Purity	affinity purified				
Storage & Stability	Stored at -20°C for 1 year. Avoid repeated freeze / thaw cycles.				
Appearance	Liquid				
Application & Dilution Ratio	<table> <thead> <tr> <th>Application</th> <th>Dilution Ratio</th> </tr> </thead> <tbody> <tr> <td>WB</td> <td>1:500-1:1,000</td> </tr> </tbody> </table>	Application	Dilution Ratio	WB	1:500-1:1,000
Application	Dilution Ratio				
WB	1:500-1:1,000				
Shipping	Shipping with blue ice.				

### DESCRIPTION

Background	<p>CD127: The protein encoded by this gene is a receptor for interleukin 7 (IL7). The function of this receptor requires the interleukin 2 receptor, gamma chain (IL2RG), which is a common gamma chain shared by the receptors of various cytokines, including interleukins 2, 4, 7, 9, and 15. This protein has been shown to play a critical role in V(D)J recombination during lymphocyte development. Defects in this gene may be associated with severe combined immunodeficiency (SCID). Alternatively spliced transcript variants have been found. [provided by RefSeq, Dec 2015]</p>
------------	---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA