

cIAP2 Antibody (YA795)

Cat. No.:	HY-P80618
Synonyms:	cIAP2 Antibody (YA795) is a non-conjugated and Mouse originated monoclonal antibody about 68 kDa, targeting to cIAP2 (1F12). It can be used for WB assays with tag free, in the background of Human, Monkey.
Host:	Mouse
Reactivity:	Human,Monkey
Conjugation:	Non-conjugated
SwissProt ID:	Q13489
Research Field:	Cell Biology
Molecular Weight:	Predicted band size: 68 kDa

PROPERTIES

Formulation	Supplied in 1*PBS (pH 7.3), 50% glycerol and 0.5% BSA. Preservative: 0.02% sodium azide.				
Purity	affinity purified				
Storage & Stability	Stored at -20°C for 1 year. Avoid repeated freeze / thaw cycles.				
Appearance	Liquid				
Application & Dilution Ratio	<table> <thead> <tr> <th>Application</th> <th>Dilution Ratio</th> </tr> </thead> <tbody> <tr> <td>WB</td> <td>1:500-1:1,000</td> </tr> </tbody> </table>	Application	Dilution Ratio	WB	1:500-1:1,000
Application	Dilution Ratio				
WB	1:500-1:1,000				
Shipping	Shipping with blue ice.				

DESCRIPTION

Background	cIAP2 (1F12): This gene encodes a member of the IAP family of proteins that inhibit apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. The encoded protein inhibits apoptosis induced by serum deprivation but does not affect apoptosis resulting from exposure to menadione, a potent inducer of free radicals. It contains 3 baculovirus IAP repeats and a ring finger domain. Transcript variants encoding the same isoform have been identified. [provided by RefSeq, Aug 2011]
------------	---

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA