

Cyclin D1 Antibody

Cat. No.:	HY-P80633
Synonyms:	Cyclin D1 Antibody is a non-conjugated and Rabbit originated polyclonal antibody about 34 kDa, targeting to Cyclin D1. It can be used for WB,IHC-P,IP assays with tag free, in the background of Human, Mouse, Rat.
Host:	Rabbit
Reactivity:	Human,Mouse,Rat
Conjugation:	Non-conjugated
SwissProt ID:	P24385
Research Field:	Cell Biology
Molecular Weight:	Predicted band size: 34 kDa

PROPERTIES

Formulation	Supplied in 50 mM Tris-Glycine (pH 7.4), 0.15 M NaCl, 40% Glycerol and 0.05% BSA. Preservative: 0.01% Sodium azide	
Purity	affinity purified	
Storage & Stability	Stored at -20°C for 1 year. Avoid repeated freeze / thaw cycles.	
Appearance	Liquid	
Application & Dilution Ratio	Application	Dilution Ratio
	WB	1:500-1:1,000
	IHC	1:50-1:100
	IP	1:20
Shipping	Shipping with blue ice.	

DESCRIPTION

Background	<p>Cyclin D1: The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance throughout the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with and functions as a regulatory subunit of CDK4 or CDK6, whose activity is required for cell cycle G1/S transition. This protein has been shown to interact with tumor suppressor protein Rb and the expression of this gene is regulated positively by Rb. Mutations, amplification and overexpression of this gene, which alters cell cycle progression, are observed frequently in a variety of human cancers. [provided by RefSeq, Dec 2019]</p>
------------	--

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA