

Screening Libraries

Proteins

MCE MedChemExpre

Product Data Sheet

Cobolimab

 Cat. No.:
 HY-P99827

 CAS No.:
 2022215-65-0

Target: Tim3

Pathway: Immunology/Inflammation

Storage: Please store the product under the recommended conditions in the Certificate of Analysis.

BIOLOGICAL ACTIVITY

Description	Cobolimab (TSR-022) is an anti-TIM-3 monoclonal antibody. Cobolimab mediates the internalization of TIM3 with an IC ₅₀ value of 0.4464 nM. Cobolimab has potential application in solid tumors and non-small cell lung cancer (NSCLC) ^{[1][2][3]} .
In Vitro	Cobolimab (0.0001-10 nM; 3 d) promotes TIM-3 internalization in a dose dependent manner in pre-activated T cells with an IC $_{50}$ value of 0.4464 nM $_{10}^{[3]}$. Cobolimab (20 μ g/mL; 24 h) significantly increases CD8 ⁺ T cell content by inhibiting TIM-3 $_{10}^{[4]}$. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Falchook G S, et al. Phase 1 trial of TIM-3 inhibitor cobolimab monotherapy and in combination with PD-1 inhibitors nivolumab or dostarlimab (AMBER)[J]. 2022.

[2]. Markham A. Dostarlimab: First Approval. Drugs. 2021 Jul;81(10):1213-1219.

 $[3]. \ Kuang\ Z, et\ al.\ A\ novel\ antibody\ targeting\ TIM-3\ resulting\ in\ receptor\ internalization\ for\ cancer\ immunotherapy.\ Antib\ Ther.\ 2020\ Nov\ 9; 3(4):227-236.$

[4]. Sun CY, et al. T cell exhaustion drives osteosarcoma pathogenesis. Ann Transl Med. 2021 Sep;9(18):1447.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 1 of 1