## **Fmoc-L-Norleucine**

MedChemExpress

HY-W00868	8	
77284-32-3		
C <sub>21</sub> H <sub>23</sub> NO <sub>4</sub>		
353.41		
Amino Acid	Derivativ	es
Others		
Powder	-20°C	3 years
	4°C	2 years
In solvent	-80°C	6 months
	-20°C	1 month
	77284-32-3 C <sub>21</sub> H <sub>23</sub> NO <sub>4</sub> 353.41 Amino Acid Others Powder	C <sub>21</sub> H <sub>23</sub> NO <sub>4</sub> 353.41 Amino Acid Derivativ Others Powder -20°C 4°C In solvent -80°C

## SOLVENT & SOLUBILITY

	Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
		1 mM	2.8296 mL	14.1479 mL	28.2957 mL
		5 mM	0.5659 mL	2.8296 mL	5.6591 mL
	10 mM	0.2830 mL	1.4148 mL	2.8296 mL	

BIOLOGICAL ACTIV	ЛТҮ
Description	Fmoc-L-Norleucine is a leucine derivative <sup>[1]</sup> .
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

## REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-1144.

Product Data Sheet

O U O O

ОН

## Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA