Product Data Sheet

Inhibitors • Screening Libraries • Proteins



Cat. No.:	HY-W01100	1	
CAS No.:	144701-25-7	7	
Molecular Formula:	C ₂₄ H ₂₇ NO ₄		
Molecular Weight:	393.48		
Target:	Amino Acid	Derivativ	es
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month

SOLVENT & SOLUBILITY

	Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg	
		1 mM	2.5414 mL	12.7071 mL	25.4143 mL	
		5 mM	0.5083 mL	2.5414 mL	5.0829 mL	
		10 mM	0.2541 mL	1.2707 mL	2.5414 mL	
	Please refer to the so	lubility information to select the app	propriate solvent.			
n Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (6.35 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (6.35 mM); Clear solution					
	3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (6.35 mM); Clear solution					

BIOLOGICAL ACTIVITY				
Description	(R)-2-((((9H-Fluoren-9-yl)methoxy)carbonyl)amino)-3-cyclohexylpropanoic acid is an alanine derivative ^[1] .			
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.			

REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-1067.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA