Product Data Sheet



Fmoc-D-Isoleucine

Cat. No.: HY-W011135 CAS No.: 143688-83-9 Molecular Formula: C₂₁H₂₃NO₄ Molecular Weight: 353.41

Amino Acid Derivatives Target:

Pathway: Others

Storage: Powder -20°C 3 years

2 years

In solvent -80°C 6 months

> -20°C 1 month

SOLVENT & SOLUBILITY

In Vitro

DMSO: 100 mg/mL (282.96 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.8296 mL	14.1479 mL	28.2957 mL
	5 mM	0.5659 mL	2.8296 mL	5.6591 mL
	10 mM	0.2830 mL	1.4148 mL	2.8296 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (7.07 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (7.07 mM); Clear solution

BIOLOGICAL ACTIVITY

Fmoc-D-Isoleucine is an isoleucine derivative [1]. Description In Vitro

Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances^[1].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

1]. Luckose F, et al. Effects of a	mino acid derivatives on physi	cal, mental, and physiological	activities. Crit Rev Food Sci Nutr. 201	5;55(13):1793-1144.
	Courtiem, Dreaduct has not	hoon fully validated for me	odical applications. For years yet	use enly
	Tel: 609-228-6898	Fax: 609-228-5909	edical applications. For research E-mail: tech@MedChemExp	
			outh Junction, NJ 08852, USA	1000.00111

Page 2 of 2 www.MedChemExpress.com