## Palmitoleic acid-<sup>13</sup>C<sub>16</sub>

Cat. No.:	HY-W011873S2	
CAS No.:	2483735-57-3	H <sub>2</sub> <sup>13</sup> C <sup>13</sup> CH <sub>3</sub>
Molecular Formula:	<sup>13</sup> C <sub>16</sub> H <sub>30</sub> O <sub>2</sub>	H₂ <sup>13</sup> C <sup>3</sup> CH₂ H₂ <sup>13</sup> C <sup>3</sup> CH₂
Molecular Weight:	270.29	H <sub>2</sub> <sup>13</sup> Ć <sup>3</sup> CH <sub>2</sub> 1 <sup>3</sup> CH H <sub>2</sub> <sup>13</sup> C <sup>3</sup> CH
Target:	Endogenous Metabolite	H <sub>2</sub> <sup>13</sup> Č <sup>13</sup> CH <sub>2</sub> H <sub>2</sub> <sup>13</sup> Č <sup>13</sup> CH <sub>2</sub>
Pathway:	Metabolic Enzyme/Protease	H <sub>2</sub> <sup>13</sup> C <sup>13</sup> CH <sub>2</sub>
Storage:	4°C, protect from light, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light, stored under nitrogen)	HO <sup>-v</sup> O

BIOLOGICAL ACTIV	OLOGICAL ACTIVITY	
Description	Palmitoleic acid- <sup>13</sup> C <sub>16</sub> is the <sup>13</sup> C labeled Palmitoleic acid. Palmitoleic acid, a composition of fatty acid, is implicated in the prevention of death from cerebrovascular disorders in SHRSP rats.	
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

## REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA



Product Data Sheet