# (S)-2-((((9H-Fluoren-9-yl)methoxy)carbonyl)amino)pentanoic acid

Cat. No.: HY-W013207 CAS No.: 135112-28-6 Molecular Formula:  $C_{20}H_{21}NO_{4}$ Molecular Weight: 339.39

Amino Acid Derivatives Target:

Pathway: Others

Storage: Powder -20°C 3 years

2 years

In solvent -80°C 6 months

> -20°C 1 month

**Product** Data Sheet

### **SOLVENT & SOLUBILITY**

In Vitro

DMSO: 100 mg/mL (294.65 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.9465 mL	14.7323 mL	29.4646 mL
	5 mM	0.5893 mL	2.9465 mL	5.8929 mL
	10 mM	0.2946 mL	1.4732 mL	2.9465 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (7.37 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (7.37 mM); Clear solution

## BIOLOGICAL ACTIVITY

Description	$(S)-2-((((9H-Fluoren-9-yl)methoxy) carbonyl) a mino) pentanoic acid is a valine derivative {\small \small [1]}.$
In Vitro	Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances <sup>[1]</sup> .  MCE has not independently confirmed the accuracy of these methods. They are for reference only.

#### **REFERENCES**

1]. Luckose F, et al. Effects of a	mino acid derivatives on physi	cal, mental, and physiological	activities. Crit Rev Food Sci Nutr. 201	5;55(13):1793-1144.
	Courtiem, Dreaduct has not	hoon fully validated for me	odical applications. For years yet	use enly
	Tel: 609-228-6898	Fax: 609-228-5909	edical applications. For research  E-mail: tech@MedChemExp	
			outh Junction, NJ 08852, USA	1000.00111

Page 2 of 2 www.MedChemExpress.com