

## Product Data Sheet

## L-Histidine-<sup>13</sup>C<sub>6</sub> hydrochloride hydrate

Cat. No.:	HY-W014423S2	
CAS No.:	201740-88-7	O
Molecular Formula:	<sup>13</sup> C <sub>6</sub> H <sub>12</sub> ClN <sub>3</sub> O <sub>3</sub>	$\begin{array}{ccc} H & H_2 &    \\ N_{2} & \swarrow^{13}C & H & \swarrow^{13}C \\ \end{array}$
Molecular Weight:	215.59	H <sup>13</sup> C 1 <sup>3</sup> C OH
Target:	Endogenous Metabolite	N <sup>13</sup> CH NH <sub>2</sub>
Pathway:	Metabolic Enzyme/Protease	H <sub>2</sub> O
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.	HCI

BIOLOGICAL ACTIVITY		
BIOLOGICALACIWIT		
Description	L-Histidine- <sup>13</sup> C <sub>6</sub> (hydrochloride hydrate) is the <sup>13</sup> C-labeled L-Histidine hydrochloride hydrate. L-Histidine hydrochloride hydrate (H-His-OH.HCl.H2O) is an endogenous metabolite.	
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

## REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA