


ALDH1A3-IN-3

Cat. No.:	HY-W017186
CAS No.:	18962-05-5
Molecular Formula:	C ₁₀ H ₁₂ O ₂
Molecular Weight:	164.2
Target:	Aldehyde Dehydrogenase (ALDH)
Pathway:	Metabolic Enzyme/Protease
Storage:	4°C, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (609.01 mM; Need ultrasonic)				
		Solvent Concentration	Mass		
	Preparing Stock Solutions		1 mg	5 mg	10 mg
		1 mM	6.0901 mL	30.4507 mL	60.9013 mL
		5 mM	1.2180 mL	6.0901 mL	12.1803 mL
	10 mM	0.6090 mL	3.0451 mL	6.0901 mL	
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (15.23 mM); Clear solution 2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (15.23 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	ALDH1A3-IN-3 (compound 16) is a potent inhibitor of ALDH1A3, with an IC ₅₀ of 0.26 μM. ALDH1A3-IN-3 is also a good ALDH3A1 substrate. ALDH1A3-IN-3 can be used for the research of prostate cancer ^[1] .	
IC ₅₀ & Target	ALDH3	ALDH1

REFERENCES

[1]. Ibrahim AIM, et, al. Expansion of the 4-(Diethylamino)benzaldehyde Scaffold to Explore the Impact on Aldehyde Dehydrogenase Activity and Antiproliferative Activity in Prostate Cancer. J Med Chem. 2022 Mar 10;65(5):3833-3848.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA