D-Ribose-¹³C-4

Cat. No.: HY-W018772S5

Molecular Formula: C413CH10O5 Molecular Weight: 151.12

Endogenous Metabolite; Isotope-Labeled Compounds Target:

Pathway: Metabolic Enzyme/Protease; Others

Storage: Powder -20°C 3 years

> 4°C 2 years

In solvent -80°C 6 months

> -20°C 1 month

BIOLOGICAL ACTIVITY

 $\hbox{D-Ribose-13C-4$ is the 13C labeled D-Ribose. D-Ribose is an energy enhancer, and acts as a sugar moiety of ATP, and widely the sugar moiety of ATP, and a sugar$ Description

used as a metabolic therapy supplement for chronic fatigue syndrome or cardiac energy metabolism. D-Ribose is active in

protein glyca

In Vitro Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as

tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to

affect the pharmacokinetic and metabolic profiles of drugs^[1].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

[2]. Hong J, et al. D-ribose induces nephropathy through RAGE-dependent NF-κB inflammation. Arch Pharm Res. 2018 Aug;41(8):838-847.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA