exo-BCN-NHS carbonate

HY-W09614	9		
1493802-77	-9		
C ₁₅ H ₁₇ NO ₅			
291.3			
Biochemical Assay Reagents			
Others			
Powder	-20°C	3 years	
In solvent	-80°C	6 months	
	-20°C	1 month	
	1493802-77 C ₁₅ H ₁₇ NO ₅ 291.3 Biochemica Others Powder	291.3 Biochemical Assay Re Others Powder -20°C In solvent -80°C	

SOLVENT & SOLUBILITY

		Solvent Mass Concentration	1 mg	5 mg	10 mg	
Preparing Stock Solutions		1 mM	3.4329 mL	17.1644 mL	34.3289 mL	
		5 mM	0.6866 mL	3.4329 mL	6.8658 mL	
		10 mM	0.3433 mL	1.7164 mL	3.4329 mL	
P	lease refer to the sol	ubility information to select the ap	propriate solvent.			
Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline					
	Solubility: $\geq 2.5 \text{ mg/mL}$ (8.58 mM); Clear solution					

L ACTIV	ТТҮ
Description	exo-BCN-NHS carbonate carbonate contains BCN group. Strain-promoted alkyne-azide cycloaddition (SPAAC) can also occur with molecules containing DBCO or BCN groups.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA



Product Data Sheet