# **PEG4000**

Cat. No.: HY-Y0873H CAS No.: 25322-68-3 **Molecular Weight:** 4000

**Biochemical Assay Reagents** Target:

Others Pathway:

Storage: 4°C, sealed storage, away from moisture

\* In solvent: -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)

$$H = \begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix}$$

**Product** Data Sheet

## **SOLVENT & SOLUBILITY**

In Vitro

H<sub>2</sub>O: 100 mg/mL (25.00 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	0.2500 mL	1.2500 mL	2.5000 mL
	5 mM	0.0500 mL	0.2500 mL	0.5000 mL
	10 mM	0.0250 mL	0.1250 mL	0.2500 mL

Please refer to the solubility information to select the appropriate solvent.

### **BIOLOGICAL ACTIVITY**

Description

PEG4000 can be used as an excipient, such as Ointment base, lubricant, etc. Pharmaceutical excipients, or pharmaceutical auxiliaries, refer to other chemical substances used in the pharmaceutical process other than pharmaceutical ingredients. Pharmaceutical excipients generally refer to inactive ingredients in pharmaceutical preparations, which can improve the stability, solubility and processability of pharmaceutical preparations. Pharmaceutical excipients also affect the absorption, distribution, metabolism, and elimination (ADME) processes of co-administered drugs<sup>[1]</sup>.

### **REFERENCES**

[1]. Elder DP, et al. Pharmaceutical excipients - quality, regulatory and biopharmaceutical considerations. Eur J Pharm Sci. 2016 May 25;87:88-99.

 $\label{lem:caution:Product} \textbf{Caution: Product has not been fully validated for medical applications. For research use only.}$ 

Tel: 609-228-6898 Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 2 of 2 www.MedChemExpress.com