## Cyclohexanecarboxylic acid-d<sub>11</sub>

Cat. No.:	HY-Y1373S1	_
CAS No.:	93131-16-9	
Molecular Formula:	C <sub>7</sub> HD <sub>11</sub> O <sub>2</sub>	
Molecular Weight:	139.24	$D \rightarrow \gamma \gamma \gamma \gamma$
Target:	Endogenous Metabolite	
Pathway:	Metabolic Enzyme/Protease	n X 'n
Storage:	4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months: -20°C, 1 month (sealed storage, away from moisture)	

Proteins

ОН

Product Data Sheet

BIOLOGICAL ACTIVITY		
BIOLOGICALAGINI		
Description	Cyclohexanecarboxylic acid-d <sub>11</sub> is the deuterium labeled Cyclohexanecarboxylic acid[1]. Cyclohexanecarboxylic acid is a Valproate structural analogue with anticonvulsant action[2].	
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

## REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

[2]. Liu MJ, et al. Pharmacokinetics and pharmacodynamics of valproate analogues in rats. IV. Anticonvulsant action and neurotoxicity of octanoic acid, cyclohexanecarboxylic acid, and 1-methyl-1-cyclohexanecarboxylic acid. Epilepsia. 1994 Jan-Feb;35(1):234-43.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909

-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

## RedChemExpress